



®

**ULLMAN**



*Ullman Devices® has a history of over 90 years of manufacturing a quality line of professional specialty hand tools. Robert Ullman invented the first inspection mirror while watching an aircraft mechanic use a crude mirror to view the inner workings of an engine. From that point on, Ullman Devices has expanded to include magnetic pick-up tools, flexible spring claws, screw starters, rotating magnetic work lights, carbide scribes, hooks, picks, socket holders and various other specialty tools.*

*The innovation did not stop there. The Ullman® team has since invested in more cutting edge electronic inspection products that allow you to see and reach things that you never could before.*

---

**Ullman Devices**  
**664 Danbury Road**  
**Ridgefield, CT 06877**

**Phone: (203) 438-6577**  
**Fax: (203) 431-9064**  
**Email: [info@ullman-devices.com](mailto:info@ullman-devices.com)**  
**[ullmandevices.com](http://ullmandevices.com)**







# ULLMAN<sup>®</sup>



**CAN'T SEE?**




**CAN'T REACH?**



**CAN'T TOUCH?**

- 4 NEW PRODUCTS
- 8 ELECTRONICS
- 9 WORK LIGHTS
- 10 INSPECTION MIRRORS
- 12 PICK-UP TOOLS
- 14 HOOKS AND PICKS
- 15 SCREW STARTERS
- 16 MEASURING & SUPPORT TOOLS
- 17 STORAGE TOOLS
- 18 DISPLAYS
- 19 REPLACEMENT PARTS

See more at [ullmandevices.com](http://ullmandevices.com)



## INSULATED PLIERS



### ROBUST BUILD

Induction-hardened cutting edges (52-60 HRC) for long-lasting sharpness



### 1000V SAFE INSULATION

VDE-tested, safe for live wire applications



### SAFETY-FIRST DESIGN

Non-slip TPR grip with built-in hand guards provide safe, secure hold and prevent spark-over

| Stock Code   | Description  | Function   | Std Pk Qty | Pck Wt       | UPC          |
|--------------|--|--|------------|--------------|--------------|
| INS-PLR-S1   | Insulated Pliers - Set of 3 (Includes Long Nose, Combination, and Side Cutting Pliers) | Precision-engineered from high-grade Chrome Vanadium steel, each tool is individually forged, hardened, and tempered to withstand challenging conditions and rigorous tasks. | 1          | 1 lb. 14 oz. | 032513103602 |
| INS-PLR-LN-6 | 6" Insulated Long Nose Plier   | Polished, ground head for easy insertion into confined spaces.   | 1          | 7 oz.        | 032513103619 |
| INS-PLR-CB-8 | 8" Insulated Combination Plier   | Versatile tool perfect for gripping, bending, cutting, and stripping wires.  | 1          | 14 oz.       | 032513103626 |
| INS-PLR-SC-6 | 6" Insulated Side Cutting Plier  | Engineered for safe and efficient wire cutting in live wire applications.  | 1          | 8 oz.        | 032513103633 |

## TUBING CUTTERS

Ullman® Tubing Cutters are engineered for high-performance cutting — even in the tightest spaces. Their rugged design resists warping under pressure, while alloy steel cutting wheels ensure consistent pressure for fast, clean cuts on small-diameter copper, aluminum, brass, and plastic tubing.

| Series Name          | Stock Code | Cutting Range             | Std Pk Qty | Pck Wt  | UPC          |
|----------------------|------------|---------------------------|------------|---------|--------------|
| VersaCut             | TBC-1      | 1/8" - 1-1/8" (3 - 28 mm) | 1          | 7.2 oz. | 032513103718 |
| VersaCut             | TBC-2      | 1/8" - 5/8" (3 - 16 mm)   | 1          | 4.6 oz. | 032513103725 |
| TightReach (C-Style) | TBC-3      | 1/2" (12.7 mm)            | 1          | 5.4 oz. | 032513103732 |



### VERSACUT

Precision control knob easily adjusts to various pipe diameters and cutting pressures.



### TIGHTREACH (C-STYLE)

Ergonomic, directional grip navigates tight, restricted spaces with ease.



HANDLED PRY BARS



**HEAVY-DUTY PRYING POWER**  
Made from square steel, each bar provides the leverage needed for challenging tasks



**BUILT-IN STRIKING CAP**  
The integrated metal cap ensures the handle stays intact when struck



**COMFORTABLE GRIP**  
The composite handle material not only provides durability but also comfort, reducing hand fatigue



ROLLING HEAD PRY BARS



**FULLY FORGED CHROME STEEL**  
Hardened to 38-43 HRC and tempered for maximum durability



**TAPERED ALIGNMENT TIP**  
Perfect for precise alignment tasks and providing enhanced leverage during prying



| Series Name  | Stock Code | Description           | Length(s)                             | Diameter(s)                                    | Std Pk Qty | Pck Wt        | UPC          |
|--------------|------------|-----------------------|---------------------------------------|--|------------|---------------|--------------|
| Rolling Head | PRY-12     | 12" Lady Foot Pry Bar | 12"                                   | 7/16"  | 1          | 8 oz.         | 032513103664 |
| Rolling Head | PRY-16     | 16" Lady Foot Pry Bar | 16"                                   | 9/16"  | 1          | 1 lb. 1 oz.   | 032513103671 |
| Rolling Head | PRY-20     | 20" Lady Foot Pry Bar | 20"                                   | 11/16"   | 1          | 1 lb. 15 oz.  | 032513103688 |
| Handled      | PRY-HDL-8  | 8" Pry Bar            | 8"                                    | 1/4"   | 1          | 8 oz.         | 032513103657 |
| Handled      | PRY-HDL-12 | 12" Pry Bar           | 12"                                   | 7/16"  | 1          | 15 oz.        | 032513103640 |
| Handled      | PRY-HDL-S1 | Complete 6-Piece Set  | 8"<br>12"<br>18"<br>24"<br>32"<br>36" | 1/4"<br>7/16"<br>7/16"<br>1/2"<br>1/2"<br>5/8" | 1          | 12 lbs. 4 oz. | 032513103596 |



## 3-IN-1 HEADLAMP WITH UV LIGHT

With multiple lighting options, durable construction, and the added utility of UV inspection, this headlamp ensures you're prepared for any task—whether on a jobsite, in a workshop, or out in the field.

### THREE DIFFERENT MODES



#### LONG-DISTANCE SPOTLIGHT

For focused, long-range lighting, with the beam reaching up to 262 ft (80m) away



#### ULTRA-WIDE FLOODLIGHT

230° flood beam, illuminating a wide area as far out as 150 ft (45m) away for close-up tasks



#### 365NM UV DETECTION LIGHT

Detect what is invisible to the naked eye—identify leaks with UV dyes, find material flaws, or inspect surfaces

### STRETCHABLE HEADBAND

Ensures a comfortable, secure fit for hands-free operation



### ROBUST BUILD

Built to withstand drops up to 6.5 ft




8 HRS



2.5 HRS

| Series Name                   | Stock Code  | Light Settings  | Dimensions                      | Std Pk Qty | Pck Wt | UPC          |
|-------------------------------|-------------|---|---------------------------------|------------|--------|--------------|
| 3-in-1 Headlamp with UV Light | LGT-HL-1-BK | <ul style="list-style-type: none"><li>• Long Distance Spotlight High/Low: 150/60 Lumens</li><li>• Ultra-Wide Floodlight High/Low: 350/150 Lumens</li><li>• 365nm UV Light</li><li>• Strobe</li><li>• Battery Life: Up to 8 hrs.</li></ul> | L: 4"<br>W: 2-1/2"<br>H: 1-3/4" | 1          | 2 oz.  | 032513103756 |





MULTI-USE MAGNETIC WORK LIGHT

UNDERHOOD & JOBSITE LIGHT  
FOR ANY INDUSTRY

Ideal for construction, automotive, maintenance, and more, this versatile light is built to illuminate hard-to-reach spaces without constant repositioning. Featuring hands-free functionality and a slim, impact-, dust-, and splash-resistant frame, it's ready for any task—indoors or out.



HANDS-FREE MOUNTING

Strong rotating-end magnets  
secure to metal surfaces

SINGLE BUTTON CONTROL

Up to 2 hrs on High  
Up to 5 hrs on Low



4.5 HRS



IK07 & IP54  
RATED

VERSATILE DESIGN ALLOWS YOU TO  
MOUNT LIGHT WHERE YOU NEED IT



OVERHEAD




SIDE



HOOK



HANDHELD



| Series Name        | Stock Code  | Light Settings & Battery Life                               | Mounting Methods  | Dimensions                       | Std Pk Qty | Pck Wt      | UPC          |
|--------------------|-------------|---|---|----------------------------------|------------|-------------|--------------|
| Multi-Use Magnetic | LGT-UH-1-OR | High: 1,000 Lumens for 2 hrs.<br>Low: 400 Lumens for 5 hrs. | • Magnetic: Overhead Underhood Side<br>• Hook<br>• Handheld | L: 19-3/4"<br>W: 2"<br>H: 1-2/3" | 1          | 1 lb. 7 oz. | 032513103558 |

Digital Inspection Mirrors let you capture images and video hands-free for easy documentation.

The Camera Assisted Retrieval Tool combines the visibility of a borescope with the reach of our signature claw and magnet tools.



E-DM-1



E-DM-1MB



E-DM-1F



E-CART-1


## DIGITAL INSPECTION

## ACCESSORY

## CAMERA ASSISTED RETRIEVAL TOOL

| Series Name                    | Stock Code | Function   | Length  | Extension Length | Telescoping | Lighted | Magnifying | Grip             | Std Pk Qty | Pck Wt       | UPC         |
|--------------------------------|------------|--|---------|------------------|-------------|---------|------------|------------------|------------|--------------|-------------|
| Digital Inspection             | E-DM-1     | Camera with telescoping handle attachment                    | 15-1/2" | 4 ft. 3-1/2"     | Yes         | Yes     | Yes        | Finger Non-Slip  | 6          | 3 lbs.       | 32513102797 |
| Digital Inspection             | E-DM-1MB   | Camera with telescoping handle and magnetic base attachments | 15-1/2" | 4 ft. 3-1/2"     | Yes         | Yes     | Yes        | Finger Non-Slip  | 6          | 4 lbs. 3 oz. | 32513103237 |
| Digital Inspection             | E-DM-1F    | Flexible aluminum shaft attachment for E-DM-1 and E-DM-1MB.  | 42"     | n/a              | n/a         | n/a     | n/a        | Finger Non-Slip  | 12         | 2 lbs. 8 oz. | 32513103541 |
| Camera Assisted Retrieval Tool | E-CART-1   | Camera assisted retrieval tool with magnet and claw head     | 39"     | n/a              | No          | Yes     | Yes        | Non-Slip Cushion | 4          | 20 lbs.      | 32513103169 |





Illuminate your workspace with rotating LED work lights.

Durable aluminum housing protects ultra-powerful SMD LED lights.

Available in both battery-operated and rechargeable options to suit any workspace.



RT-3SMD



RT-6SMD



RT-3SMDR



RT-750R

ROTATING MAGNETIC

| Series Name       | Stock Code | # of Lights | Dual Settings | Lumens  | Length | Width  | Height | Rechargeable (Includes Wall Charger) | Battery Operated | Battery Size | # of Batteries (Included) | Std Pk Qty | Pck Wt       | UPC        |
|-------------------|------------|-------------|---------------|---------|--------|--------|--------|--------------------------------------|------------------|--------------|---------------------------|------------|--------------|------------|
| Rotating Magnetic | RT-3SMD    | 3           | No            | 110     | 2-3/4" | 2-3/4" | 3-1/4" | Yes                                  | No               | AAA          | 3                         | 6          | 2 lbs. 1 oz. | 3251302742 |
| Rotating Magnetic | RT3SMDR    | 3           | Yes           | 300     | 2-3/4" | 2-3/4" | 3-1/4" | Yes                                  | No               |              | -                         | 6          | 2 lbs. 1 oz. | 3251302759 |
| Rotating Magnetic | RT-6SMD    | 6           | No            | 375     | 2-3/4" | 2-3/4" | 3-1/4" | No                                   | Yes              | AA           | 3                         | 6          | 2 lbs. 7 oz. | 3251302643 |
| Rotating Magnetic | RT-750R    | 1           | Yes           | 750/300 | 6-1/4" | 5"     | 6"     | Yes                                  | No               |              | -                         | 6          | 1 lb. 3 oz.  | 3251302735 |



# IN A TIGHT SPOT? CAN'T SEE?

Telescoping mirrors featuring Ullman's original all-angle ball joints and brushed stainless steel backings.

Ball-joint allows for 360° viewing and maintains desired positioning.

Powerful LEDs reduce time spent searching in the dark.

Pocket clip attaches to clothing for secure carry and convenient access.

Magnifying mirror gives a closer look at hard-to-see spaces.

Heavy-duty magnetic bases are also available with lighted and rectangular mirrors.



Explore more variations at [ullmandevices.com](http://ullmandevices.com).

## CLASSIC VINYL GRIP

## MAGNETIC BASED

| Series Name   | Stock Code | Mirror Shape | Mirror Head | Mirror Size (LxW or Dia.) | Length  | Extension Length | Telescoping | Magnifying | Pocket Clip | Grip     | Std Pk Qty | Pck Wt        | UPC         |
|---------------|------------|--------------|-------------|---------------------------|---------|------------------|-------------|------------|-------------|----------|------------|---------------|-------------|
| Classic Vinyl | A-2*       | Circle       | A           | 7/8"                      | 7-1/2"  | n/a              | No          | No         | Yes         | Standard | 12         | 1 lb. 4 oz.   | 32513100014 |
| Classic Vinyl | A-2M       | Circle       | A           | 7/8"                      | 7-1/2"  | n/a              | No          | Yes        | Yes         | Standard | 1          | 2 oz.         | 32513100021 |
| Classic Vinyl | B-2*       | Oval         | B           | 1" x 2"                   | 8-1/2"  | n/a              | No          | No         | Yes         | Standard | 12         | 1 lb. 7 oz.   | 32513100052 |
| Classic Vinyl | C-2*       | Circle       | C           | 2-1/4"                    | 10-1/4" | 14-1/4"          | Yes         | No         | No          | Standard | 12         | 3 lbs. 10 oz. | 32513100090 |
| Classic Vinyl | C-2L*      | Circle       | C           | 2-1/4"                    | 16"     | 26"              | Yes         | No         | No          | Standard | 1          | 6 oz.         | 32513102384 |
| Classic Vinyl | C-2M*      | Circle       | C           | 2-1/4"                    | 10"     | 14"              | Yes         | Yes        | No          | Standard | 1          | 5 oz.         | 32513100106 |
| Classic Vinyl | C-2ML*     | Circle       | C           | 2-1/4"                    | 16"     | 26"              | Yes         | Yes        | No          | Standard | 1          | 6 oz.         | 32513102261 |
| Classic Vinyl | E-2*       | Circle       | E           | 1-1/4"                    | 8"      | n/a              | No          | No         | Yes         | Standard | 12         | 1 lb. 6 oz.   | 32513100175 |
| Classic Vinyl | E-2M*      | Circle       | E           | 1-1/4"                    | 8"      | n/a              | No          | Yes        | Yes         | Standard | 1          | 2 oz.         | 32513100182 |
| Classic Vinyl | K-2*       | Rectangle    | K           | 2-1/8" x 3-1/2"           | 11-3/8" | 15-1/4"          | Yes         | No         | No          | Standard | 12         | 4 lbs. 3 oz.  | 32513100281 |
| Classic Vinyl | K-2L*      | Rectangle    | K           | 2-1/8" x 3-1/2"           | 17-1/4" | 27-1/4"          | Yes         | No         | No          | Standard | 1          | 7 oz.         | 32513102254 |
| Classic Vinyl | K-2M*      | Rectangle    | K           | 2-1/8" x 3-1/2"           | 11-1/4" | 15-1/4"          | Yes         | Yes        | No          | Standard | 1          | 5 oz.         | 32513100298 |
| Classic Vinyl | K-2ML*     | Rectangle    | K           | 2-1/8" x 3-1/2"           | 17-1/4" | 27-1/2"          | Yes         | Yes        | No          | Standard | 1          | 7 oz.         | 32513101059 |
| Classic Vinyl | S-2*       | Circle       | S           | 3-1/4"                    | 11-1/4" | 15-1/4"          | Yes         | No         | No          | Standard | 12         | 4 lbs.        | 32513100458 |
| Classic Vinyl | S-2L*      | Circle       | S           | 3-1/4"                    | 17-1/4" | 27"              | Yes         | No         | No          | Standard | 1          | 7 oz.         | 32513102421 |
| Magnetic Base | C-2X       | Circle       | C           | 2-1/4"                    | 7"      | n/a              | No          | No         | No          | No Grip  | 1          | 3 oz.         | 32513101103 |
| Magnetic Base | MX*        | Rectangle    | K           | 2-1/8" x 3-1/2"           | 9-3/8"  | n/a              | No          | No         | No          | No Grip  | 1          | 1 lb.         | 32513100311 |
| Magnetic Base | MX-2*      | Rectangle    | K           | 2-1/8" x 3-1/2"           | 9-3/8"  | n/a              | No          | Yes        | No          | No Grip  | 1          | 1 lb.         | 32513100325 |
| Magnetic Base | S-2X       | Circle       | S           | 3-1/4"                    | 8-1/8"  | n/a              | No          | No         | No          | No Grip  | 1          | 3 oz.         | 32513101110 |

\*Replacement parts available



## CUSHIONED VINYL GRIP

## LIGHTED

## POCKET

## MAGNETIC

| Series Name      | Stock Code | Mirror Shape | Mirror Head | Mirror Size (LxW or Dia.) | Length  | Extension Length | Telescoping         | Magnifying | Pocket Clip | Grip                | Std Pk Qty | Pck Wt        | UPC         |
|------------------|------------|--------------|-------------|---------------------------|---------|------------------|---------------------|------------|-------------|---------------------|------------|---------------|-------------|
| Cushioned Vinyl  | HTE-2      | Circle       | E           | 1-1/4"                    | 8-1/4"  | 35"              | Yes                 | No         | Yes         | Non-Slip Cushion    | 12         | 2 lbs. 2 oz.  | 32513101004 |
| Cushioned Vinyl  | HTC-2      | Circle       | C           | 2-1/4"                    | 9-5/8"  | 36-3/8"          | Yes                 | No         | No          | Non-Slip Cushion    | 12         | 2 lbs. 14 oz. | 32513100991 |
| Cushioned Vinyl  | HTC-2FL*   | Circle       | C           | 2-1/4"                    | 32-1/8" | n/a              | No - Flexible Shaft | No         | No          | Non-Slip Cushion    | 12         | 3 lbs. 14 oz. | 32513101455 |
| Cushioned Vinyl  | HTC-2LM    | Circle       | C           | 2-1/4"                    | 15"     | 51-3/8"          | Yes                 | Yes        | No          | Finger Non-Slip     | 12         | 5 lbs.        | 32513101493 |
| Cushioned Vinyl  | HTS-2      | Circle       | S           | 3-1/4"                    | 10-1/2" | 29-3/8"          | Yes                 | No         | No          | Non-Slip Cushion    | 12         | 3 lbs. 6 oz.  | 32513101011 |
| Cushioned Vinyl  | HTS-2L     | Circle       | S           | 3-1/4"                    | 16"     | 52-1/2"          | Yes                 | No         | No          | Finger Non-Slip     | 12         | 5 lbs. 8 oz.  | 32513101486 |
| Cushioned Vinyl  | HTK-2      | Rectangle    | K           | 2-9/16" x 3-3/4"          | 11-1/8" | 29-3/4"          | Yes                 | No         | No          | Finger Non-Slip     | 12         | 4 lbs. 8 oz.  | 32513102162 |
| Cushioned Vinyl  | HTK-2L     | Rectangle    | K           | 2-1/8" x 3-1/2"           | 10-3/4" | 37-1/2"          | Yes                 | No         | No          | Non-Slip Cushion    | 12         | 3 lbs. 5 oz.  | 32513103831 |
| Lighted          | HTE-2LT    | Circle       | E           | 1-3/8"                    | 8-3/4"  | 35-7/8"          | Yes                 | No         | No          | Heavy Duty Non-Slip | 12         | 2 lbs. 15 oz. | 32513101790 |
| Lighted          | HTC-2LT    | Circle       | C           | 2-3/8"                    | 10"     | 37"              | Yes                 | No         | No          | Heavy Duty Non-Slip | 12         | 4 lbs. 2 oz.  | 32513101752 |
| Lighted          | HTS-2LT    | Circle       | S           | 3-3/8"                    | 11-1/8" | 30-1/4"          | Yes                 | No         | No          | Heavy Duty Non-Slip | 12         | 5 lbs. 2 oz.  | 32513101806 |
| Lighted          | HTK-2LT    | Rectangle    | K           | 2-1/4" x 3-1/2"           | 11"     | 30"              | Yes                 | No         | No          | Heavy Duty Non-Slip | 12         | 4 lbs. 8 oz.  | 32513101936 |
| Pocket           | HTA2-T     | Circle       | A           | 7/8"                      | 7-1/8"  | 27-1/4"          | Yes                 | No         | Yes         | Non-Slip Cushion    | 12         | 1 lb. 6 oz.   | 32513101134 |
| Pocket           | HTE2-T     | Circle       | E           | 1-1/4"                    | 7-3/8"  | 27-1/2"          | Yes                 | No         | Yes         | Non-Slip Cushion    | 12         | 1 lb. 7 oz.   | 32513101158 |
| Pocket           | HTB2-T     | Oval         | B           | 1" x 2"                   | 8-1/4"  | 28-1/4"          | Yes                 | No         | Yes         | Non-Slip Cushion    | 12         | 1 lb. 8 oz.   | 32513101141 |
| Pocket           | A-2T       | Circle       | A           | 7/8"                      | 6"      | 18-5/8"          | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb.         | 32513100038 |
| Pocket           | E-2T       | Circle       | E           | 1-1/4"                    | 6-3/8"  | 19"              | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb.         | 32513100199 |
| Pocket           | B-2T       | Oval         | B           | 1" x 2"                   | 7-1/8"  | 19-3/4"          | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb. 3 oz.   | 32513100076 |
| Mirror w/ Magnet | A-2TM      | Circle       | A           | 7/8"                      | 7-1/4"  | 27-1/4"          | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb. 6 oz.   | 32513100045 |
| Mirror w/ Magnet | E-2TM      | Circle       | E           | 1-1/4"                    | 7-1/2"  | 27-1/2"          | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb. 7 oz.   | 32513100205 |
| Mirror w/ Magnet | B-2TM      | Oval         | B           | 1" x 2"                   | 8-1/4"  | 28-5/16"         | Yes                 | No         | Yes         | Stainless Steel     | 12         | 1 lb. 8 oz.   | 32513100083 |
| Mirror & Magnet  | GMC-2      | Circle       | C           | 2-1/4"                    | 12-1/2" | 34-3/8"          | Yes                 | No         | No          | Finger Non-Slip     | 12         | 4 lbs. 8 oz.  | 32513101196 |

\*Replacement parts available





# IN A TIGHT SPOT? CAN'T REACH?

PowerCap® shields sides of magnetic head to prevent attraction to surrounding surfaces and directs magnetic force by 45% for fast retrieval and increased accuracy.

Powerful LEDs reduce time spent searching in the dark.


The goblet-shaped head shields the sides of magnetic head to prevent unwanted attraction to surrounding surfaces and directs magnetic force for fast retrieval and increased accuracy.

Mechanical spring claw pick-up tool with flexible shaft for navigating awkward tight spaces.

Pocket clip attaches to clothing for secure carry and convenient access.



| Series Name | Stock Code | Lift Strength | Length  | Extension Length | Telescoping | Lighted | Pocket Clip | Grip                | Color     | Std Pk Qty | Pck Wt        | UPC         |
|-------------|------------|---------------|---------|------------------|-------------|---------|-------------|---------------------|-----------|------------|---------------|-------------|
| PowerCap    | HT-1       | 2-1/2 lbs.    | 6-5/8"  | 33-1/4"          | Yes         | No      | Yes         | Non-Slip Cushion    | Black     | 12         | 2 lbs. 1 oz.  | 32513100960 |
| PowerCap    | HT-2       | 5 lbs.        | 7-1/4"  | 33-3/4"          | Yes         | No      | Yes         | Non-Slip Cushion    | Black     | 12         | 2 lbs. 1 oz.  | 32513100977 |
| PowerCap    | HT-3       | 10 lbs.       | 8-1/4"  | 30-1/4"          | Yes         | No      | Yes         | Non-Slip Cushion    | Black     | 12         | 2 lbs. 7 oz.  | 32513100984 |
| PowerCap    | HT-5       | 2-1/2 lbs.    | 5-1/2"  | 25-1/2"          | Yes         | No      | Yes         | Non-Slip Cushion    | Black     | 12         | 1 lb. 3 oz.   | 32513101080 |
| PowerCap    | HT-5R      | 2-1/2 lbs.    | 5-1/2"  | 25-1/2"          | Yes         | No      | Yes         | Non-Slip Cushion    | Red       | 12         | 1 lb. 3 oz.   | 32513101080 |
| PowerCap    | HT-5BL     | 2-1/2 lbs.    | 5-1/2"  | 25-1/2"          | Yes         | No      | Yes         | Non-Slip Cushion    | Blue      | 12         | 1 lb. 3 oz.   | 32513102124 |
| PowerCap    | HT-5GR     | 2-1/2 lbs.    | 5-1/2"  | 25-1/2"          | Yes         | No      | Yes         | Non-Slip Cushion    | Green     | 12         | 1 lb. 3 oz.   | 32513102117 |
| PowerCap    | HT-5OR     | 2-1/2 lbs.    | 5-1/2"  | 25-1/2"          | Yes         | No      | Yes         | Non-Slip Cushion    | Orange    | 12         | 1 lb. 3 oz.   | 32513102100 |
| Lighted     | HTLP-2     | 8 lbs.        | 8"      | 32-3/4"          | Yes         | Yes     | No          | Heavy Duty Non-Slip | Black/Red | 12         | 3 lbs. 2 oz.  | 32513101820 |
| Lighted     | LT-2       | 5 lbs.        | 6-1/2"  | 27-3/4"          | Yes         | Yes     | No          | Finger Non-Slip     | Black     | 5          | 3 lbs.        | 32513101073 |
| Super       | GM-1       | 12 lbs.       | 8-1/4"  | 30-1/4"          | Yes         | No      | No          | Finger Non-Slip     | Black     | 12         | 2 lbs. 15 oz. | 32513103848 |
| Goblet      | GM-2       | 16 lbs.       | 8-1/4"  | 30-1/4"          | Yes         | No      | No          | Finger Non-Slip     | Black     | 12         | 2 lbs. 15 oz. | 32513101127 |
| Goblet      | GM-2L      | 16 lbs.       | 12-3/4" | 48"              | Yes         | No      | No          | Finger Non-Slip     | Black     | 12         | 3 lbs. 14 oz. | 32513101745 |
| Rotating    | No.4T      | 1-1/2 lbs.    | 6-3/8"  | 19"              | Yes         | No      | Yes         | Stainless Steel     | Chrome    | 12         | 1 lb.         | 32513100618 |
| Rotating    | No.1SR     | 3 lbs.        | 16-3/4" | 26-3/4"          | Yes         | No      | No          | Standard            | Black/Red | 12         | 5 lbs. 8 oz.  | 32513100588 |
| Rotating    | No.2SR     | 3 lbs.        | 10-5/8" | 14-5/8"          | Yes         | No      | No          | Standard            | Black/Red | 12         | 4 lbs. 2 oz.  | 32513100595 |
| Rotating    | No.3JR     | 1-1/2 lbs.    | 7-7/8"  | n/a              | No          | No      | Yes         | Standard            | Red       | 12         | 1 lb. 3 oz.   | 32513100601 |
| Rotating    | No.21X     | 5 lbs.        | 16-1/2" | 26-1/2"          | Yes         | No      | No          | Standard            | Red       | 12         | 5 lbs. 7 oz.  | 32513100809 |



16MLT



HT-2FL




No. 14X



No. 6F



HT-10



No. 15X



No. 19X



No. 8X



No. 10T



No. 9

## CLAW

## FLEXIBLE

## POCKET MAGNETS

| Series Name | Stock Code | Lift Strength | Length   | Extension Length | Telescoping | Lighted | Pocket Clip | Grip               | Color     | Std Pk Qty | Pck Wt        | UPC         |
|-------------|------------|---------------|----------|------------------|-------------|---------|-------------|--------------------|-----------|------------|---------------|-------------|
| Spring Claw | No.16      | n/a           | 23-1/4"  | n/a              | No          | No      | No          | Stainless Steel    | Chrome    | 12         | 2 lbs. 12 oz. | 32513100717 |
| Spring Claw | 16MLT      | 5 lbs.        | 25-3/8"  | n/a              | No          | Yes     | No          | Stainless Steel    | Orange    | 1          | 6 oz.         | 32513101981 |
| Spring Claw | No.17      | n/a           | 13-1/2"  | n/a              | No          | No      | No          | Stainless Steel    | Chrome    | 12         | 2 lbs.        | 32513100724 |
| Flexible    | HT-2FL     | 5 lbs.        | 29"      | n/a              | No          | No      | No          | Finger Non-Slip    | Black     | 12         | 3 lbs. 3 oz.  | 32513101448 |
| Flexible    | HT-55FL    | 5 lbs.        | 55"      | n/a              | No          | No      | No          | Finger Non-Slip    | Black     | 12         | 3 lbs. 5 oz.  | 32513102704 |
| Flexible    | No.14X     | 1-1/2 lbs.    | 21-9/16" | n/a              | No          | No      | No          | Stainless Steel    | Chrome    | 12         | 1 lb. 12 oz.  | 32513100694 |
| Flexible    | No.6F      | 3 lbs.        | 17-1/2"  | n/a              | No          | No      | No          | Standard           | Black/Red | 12         | 3 lbs.        | 32513100632 |
| Pocket      | HT-10      | 10 lbs.       | 5-3/4"   | 25-3/4"          | Yes         | No      | Yes         | Non-Slip Cushion   | Black     | 12         | 1 lb.         | 32513102803 |
| Pocket      | No.15X     | 1-1/2 lbs.    | 5-9/16"  | 25-9/16"         | Yes         | No      | Yes         | Stainless Steel    | Chrome    | 12         | 1 lb.         | 32513100700 |
| Pocket      | No.15XOR   | 1-1/2 lbs.    | 5-9/16"  | 25-9/16"         | Yes         | No      | Yes         | Stainless Steel    | Orange    | 12         | 1 lb.         | 32513101202 |
| Pocket      | No.15XGR   | 1-1/2 lbs.    | 5-9/16"  | 25-9/16"         | Yes         | No      | Yes         | Stainless Steel    | Green     | 12         | 1 lb.         | 32513101219 |
| Pocket      | No.15XHv   | 1-1/2 lbs.    | 5-9/16"  | 25-9/16"         | Yes         | No      | Yes         | Stainless Steel    | Yellow    | 12         | 1 lb.         | 32513103183 |
| Pocket      | No.19X     | 3 lbs.        | 5-5/8"   | 25-5/8"          | Yes         | No      | Yes         | Stainless Steel    | Chrome    | 12         | 1 lb. 3 oz.   | 32513100953 |
| Pocket      | No.9       | 1/2 lb.       | 6"       | n/a              | No          | No      | Yes         | Standard Insulated | Red       | 12         | 10 oz.        | 32513100663 |
| Pocket      | No.10T     | 1/2 lb.       | 5-1/2"   | 18-1/8"          | Yes         | No      | Yes         | Stainless Steel    | Chrome    | 12         | 1 lb. 2 oz.   | 32513100687 |
| Pocket      | No.28X     | 3-1/2 lbs.    | 5-7/8"   | 23"              | Yes         | No      | Yes         | Stainless Steel    | Chrome    | 12         | 12 oz.        | 32513101684 |
| Pocket      | No.8X      | 1-1/2 lbs.    | 6"       | n/a              | No          | No      | Yes         | Stainless Steel    | Chrome    | 12         | 1 lb.         | 32513100656 |

High carbon polished, heat-treated steel tips are durable and built to last.

Ergonomically designed handles ensure a secure grip in any environment.

Can be used to separate wires, pry loose or stuck gaskets, and remove fuses and O-rings.



CHP8-L

## CUSHIONED VINYL



CHP6-LP

## HEAVY DUTY



H4W

## ALUMINUM



PH-4



MP-6



PSP-4

## MOLDED

| Series Name               | Stock Code | Handle Style | Hook & Pick Material                     | Length  | # of Hooks & Picks | Storage Pouch | Hooks & Picks Included   | Color     | Std Pk Qty | Pck Wt       | UPC         |
|---------------------------|------------|--------------|--|---------|--------------------|---------------|--|-----------|------------|--------------|-------------|
| Cushioned Vinyl           | CHP4*      | Textured     | High carbon polished, heat-treated steel | 6-7/8"  | 4                  | Yes           | Hook, 90°, Straight, Complex   | Black     | 12         | 2 lbs. 8 oz. | 32513101097 |
| Cushioned Vinyl           | CHP4-L*    | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 4                  | Yes           | Hook, 90°, Straight, Complex   | Black     | 12         | 3 lbs. 4 oz. | 32513101189 |
| Cushioned Vinyl           | CHP6-L*    | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 6                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle                  | Black     | 12         | 4 lbs. 12oz. | 32513101394 |
| Cushioned Vinyl           | CHP6-L-RD  | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 6                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle                  | Red       | 12         | 4 lbs. 12oz. | 32513103565 |
| Cushioned Vinyl           | CHP6-L-GR  | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 6                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle                  | Green     | 12         | 4 lbs. 12oz. | 32513103572 |
| Cushioned Vinyl           | CHP6-L-OR  | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 6                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle                  | Orange    | 12         | 4 lbs. 12oz. | 32513103589 |
| Cushioned Vinyl           | CHP8-L*    | Textured     | High carbon polished, heat-treated steel | 9-3/4"  | 8                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle, 45°, Angle Hook | Black     | 12         | 6 lbs. 6 oz. | 32513101400 |
| Dual Injection Heavy Duty | CHP6-LP    | Ergonomic    | High carbon polished, heat-treated steel | 9-3/4"  | 6                  | Yes           | Hook, 90°, Straight, Complex, Combination, Double Angle                  | Black/Red | 12         | 4 lbs. 1 oz. | 32513102711 |
| Aluminum                  | H4W*       | Hex          | High carbon polished, heat-treated steel | 6-9/16" | 4                  | Yes           | Hook, 90°, Straight, Combination   | Chrome    | 12         | 13 oz.       | 32513100243 |
| Aluminum                  | PH-4*      | Hex          | High carbon polished, heat-treated steel | 6-5/16" | 4                  | No            | Hook, 90°, Straight, Complex   | Chrome    | 12         | 2 lbs.       | 32131003353 |
| Aluminum                  | MP-6*      | Hex          | Stainless steel                          | 5-9/16" | 5                  | No            | Hook, Straight, Double Angle, 45°, Bayonet                               | Chrome    | 12         | 1 lb. 15 oz. | 32513100304 |
| Molded Heavy Duty         | PSP-4*     | Screwdriver  | High carbon polished, heat-treated steel | 5-1/16" | 4                  | No            | Hook, 90°, Straight, Combination   | Black     | 12         | 2 lbs. 9 oz. | 32513100946 |

\*Replacement parts available



Screw Starters start ferrous and non-ferrous screws with ease.

Simply twist and retract the mechanical head, align with any #6, #8, #10, or #12 screw head, then push towards the screw to engage the mechanical head and start the screw.



| Series Name   | Stock Code | Screw Type        | Handle Style                    | Fits Screw Heads     | Length   | Std Pk Qty | Pck Wt      | UPC         |
|---------------|------------|-------------------|---------------------------------|----------------------|----------|------------|-------------|-------------|
| Screw Starter | D-2        | Slotted           | Aluminum, Knurled w/ Magnet     | #6, #8, #10, #12     | 5-5/8"   | 10         | 12 oz.      | 32513100144 |
| Screw Starter | D-3        | Slotted           | Aluminum, Knurled w/ Magnet     | #6, #8, #10, #12     | 9-5/8"   | 10         | 1 lb. 2 oz. | 32513100151 |
| Screw Starter | N-1        | Slotted           | Nylon, Electric shock-resistant | #6, #8, #10, #12     | 2-11/16" | 5          | 2 oz.       | 32513102407 |
| Screw Starter | N-3        | Slotted           | Nylon, Electric shock-resistant | #6, #8, #10, #12     | 9-1/8"   | 5          | 4 oz.       | 32513102322 |
| Screw Starter | DE-2       | Slotted, Phillips | Aluminum, Knurled, Double-Ended | #5, #6, #8, #10, #12 | 9"       | 12         | 1 lb. 2 oz. | 32513100120 |
| Screw Starter | PD-10      | Phillips          | Aluminum, Knurled w/ Magnet     | #5                   | 5-3/4"   | 10         | 12 oz.      | 32513100359 |
| Screw Starter | PD-11      | Phillips          | Aluminum, Knurled w/ Magnet     | #5                   | 9-3/4"   | 10         | 1 lb. 2 oz. | 32513100366 |
| Screw Starter | F-2        | TORX®             | Aluminum, Knurled w/ Magnet     | n/a                  | 5-5/8"   | 12         | 1 lb. 2 oz. | 32513100229 |



# MEASURING AND SUPPORT TOOLS



SG-2

**SPARK PLUG  
GAP TOOL**




No. 5

**MAGNETIZER/  
DEMAGNETIZER**



GA-CN-1

**CENTER  
GAUGE**



No. 1810

**SCRIBERS**



No. 1820



No. 1830



SW-10



MG-2

**MAGNIFYING  
GLASS**



VOLT-SP-1


**VOLTAGE  
TESTER**



CLP-BR-1

**CALIPER**

| Series Name                | Stock Code | Function  | Length  | Width   | Height  | Std Pk Qty | Pck Wt       | UPC         |
|----------------------------|------------|---|---------|---------|---------|------------|--------------|-------------|
| Spark Plug Gap Tool        | SG-2       | Ullman's easy to read Spark Plug Gap Tool is scaled from .020" to .110" (0.5 mm to 2.4 mm) for quick and accurate spark plug adjustment. A flanged edge is perfect for electrode bending.   | 1-1/2"  | 1-1/2"  | 1/4"    | 12         | 10 oz.       | 32513100915 |
| Single Pole Voltage Tester | VOLT-SP-1  | Ullman's pocket-sized single-pole voltage tester detects live wires by completing a circuit, illuminating when it senses voltage in the range of 110-250V.  | 7-1/2"  | 1-3/4"  | 1-3/4"  | 1          | 0.8 oz.      | 32513103701 |
| Magnetizer/Demagnetizer    | No.5       | Magnetizes and demagnetizes screwdrivers and other small tools.   | 1-1/16" | 1-1/16" | 1-1/16" | 12         | 1 lb. 8 oz.  | 32513100625 |
| Scriber                    | No. 1810   | Double-ended tool with straight edge scriber for cutting into metal, glass, and plastic, and 90° pick edge for separating wires and removing fuses and O-rings.   | 9-1/2"  | 1/4"    | 1/4"    | 12         | 1 lb. 1 oz.  | 32513100755 |
| Scriber                    | No. 1820   | Ullman's No. 1820 has a 90° pick end ideal for separating wires, removing fuses, O-rings, retrieving washers and other loose parts too small to pick up with your fingers. The magnetic end retrieves small metal objects in hard to reach areas. A textured aluminum grip helps prevent drops and slipping in wet or oily hands. | 7"      | 1/4"    | 1/4"    | 12         | 15 oz.       | 32513100779 |
| Scriber                    | No. 1830   | Doubled-ended tool with magnetic end for retrieving small metal objects in hard to reach areas, and scriber end with built-in safety cover for cutting into hard surfaces leaving clear marks on metal, glass, and plastic.   | 5-7/16" | 1/2"    | 1/2"    | 12         | 1 lb.        | 32513100786 |
| Scriber                    | SW-10      | Ullman's SW-10 swinger hook has a lightweight handle which houses dual hook and pick blade ends. The precision hook and pick are ideal for separating wires, removing fuses, O-rings, retrieving washers and other loose parts too small to pick up with your fingers.  | 7-7/8"  | 3/4"    | 3/4"    | 12         | 1 lb. 10 oz. | 32513100533 |
| Magnifying Glass           | MG-2       | With a 2-3/8" diameter shatter resistant lens, the MG-2 magnifying glass can be adjusted for optimal viewing. The 2X magnification enables visibility of part numbers, serial numbers, and small components. A cushioned vinyl grip helps prevent drops and slipping in wet or oily hands.  | 9-1/2"  | 2-3/8"  | 1/2"    | 12         | 4 lbs.       | 32513101042 |
| Center Gauge               | GA-CN-1    | Made from high-quality stainless steel, Ullman's center gauge has deep etched graduations that resist wear. It measures in 14ths, 20ths, 24ths, and 32nds of an inch for precise thread pitch checking.   | 1-3/4"  | 1-3/4"  | 1/4"    | 1          | 0.8 oz.      | 32513103695 |
| Brass Caliper              | CLP-BR-1   | Made from solid brass with a close-tolerance dovetail design, this pocket-sized caliper glides smoothly for precision measurement. It takes internal measurements between 7/32" and 4" (5 to 100 mm) and external measurements between 0" and 4" (0 to 100 mm) accurate to 1/16" or 0.1 mm.                                       | 8-1/2"  | 2-3/4"  | 1/2"    | 1          | 2.4 oz.      | 32513103749 |



| Series Name           | Stock Code | Function   | Length  | Width | Height | Std Pk Qty | Pck Wt        | UPC         |
|-----------------------|------------|--|---------|-------|--------|------------|---------------|-------------|
| Bit Holder            | BH-2       | Tool accessory storage holding up to 21, 1/4" bits.  | 3-1/2"  | 5/8"  | 5/8"   | 12         | 5 oz.         | 32513100069 |
| Magnetic Storage Rail | UMR13      | The Ullman Magnetic Rails allow you to neatly organize your tools and sockets, saving you time from sifting through cluttered drawers and tool boxes. Strong N35 magnets allow rail to be mounted to benches, toolboxes and inside of service vehicles. Mounting holes allow rails to adhere to walls and other non-magnetic surfaces. | 13-1/4" | 1/4"  | 3/4"   | 12         | 3 lbs. 8 oz.  | 32513102834 |
| Magnetic Storage Rail | UMR17      |  | 17-1/4" | 1/4"  | 3/4"   | 12         | 4 lbs. 8 oz.  | 32513102841 |
| Surface Mounted       | No.25      | Screw into tool chest drawer or hang. Includes 16 drive clips at 1/4".   | 17"     | 3/4"  | 3/4"   | 12         | 3 lbs. 2 oz.  | 32513100816 |
| Surface Mounted       | No.35      | Screw into tool chest drawer or hang. Includes 16 drive clips at 3/8".   | 17"     | 3/4"  | 3/4"   | 12         | 3 lbs. 5 oz.  | 32513100823 |
| Surface Mounted       | No.50      | Screw into tool chest drawer or hang. Includes 14 drive clips at 1/2".   | 17"     | 3/4"  | 3/4"   | 12         | 3 lbs. 12 oz. | 32513100830 |
| Surface Mounted       | No.75      | Screw into tool chest drawer or hang. Includes 8 drive clips at 3/4".  | 17"     | 3/4"  | 3/4"   | 12         | 3 lbs. 5 oz.  | 32513100847 |
| Surface Mounted       | No.1730    | Triple pack. Screw into tool chest drawer or hang. Includes 16 drive clips at 1/4", 16 drive clips at 3/8" and 16 drive clips at 1/2".   | 17"     | 3/4"  | 3/4"   | 12         | 7 lbs. 6 oz.  | 32513100748 |
| Hand Carry            | SH-1725    | Hand carry socket holder. Includes 16 drive clips at 1/4".   | 17"     | 1"    | 1"     | 12         | 3 lbs. 7 oz.  | 32513100496 |
| Hand Carry            | SH-1735    | Hand carry socket holder. Includes 14 drive clips at 3/8".   | 17"     | 1"    | 1"     | 12         | 3 lbs. 11 oz. | 32513100502 |
| Hand Carry            | SH-1750    | Hand carry socket holder. Includes 14 drive clips at 1/2".   | 17"     | 1"    | 1"     | 12         | 4 lbs. 8 oz.  | 32513100519 |



Eye-catching countertop displays that are sure to attract a customer's attention.

Four different displays that hold Ullman's most popular inspection mirrors and magnetic pick-up tools.

Include a variety of sizes to suit your available counterspace.



## HTDIS TELESCOPING TOOLS

## HT5DIS HT5-30PK MAGNETIC PICK-UP TOOLS

## 15XDISP

| Stock Code | Individual SKUs Displayed             | Disp Qty | Lift Strength     | Length            | Extension Length  | Telescoping | Lighted | Pocket Clip | Grip             | Color(s)                       | Std Pk Qty | Pck Wt       | UPC         |
|------------|---------------------------------------|----------|-------------------|-------------------|-------------------|-------------|---------|-------------|------------------|--------------------------------|------------|--------------|-------------|
| HTDIS      | HT-1, HT-2, HT-3, HTE-2, HTC-2, HTS-2 | 18       | Varies by product | Varies by product | Varies by product | Yes         | No      | No          | Non-Slip Cushion | Black                          | 1          | 4 lbs.       | 32513101462 |
| HT5DIS     | HT-5, HT-5R                           | 10       | 2-1/2 lbs.        | 5-1/2"            | 25-1/2"           | Yes         | No      | Yes         | Non-Slip Cushion | 5 Black, 5 Red                 | 1          | 1 lb.        | 32513101516 |
| HT5-30PK   | HT-5OR, HT-5BL, HT-5GR                | 30       | 2-1/2 lbs.        | 5-1/2"            | 25-1/2"           | Yes         | No      | Yes         | Non-Slip Cushion | 10 Orange, 10 Blue, 10 Green   | 1          | 2 lbs. 4 oz. | 32513101998 |
| 15XDISP    | No.15XHV, No.15XGR, No.15XOR          | 30       | 2 lbs.            | 5-9/16"           | 25-9/16"          | Yes         | No      | Yes         | Stainless Steel  | 10 Yellow, 10 Green, 10 Orange | 1          | 1 lb. 4 oz.  | 32513101516 |



| Series Name          | Stock Code | Refill Type                       | Shape     | Size            | Std Pk Qty | Pck Wt      | UPC         |
|----------------------|------------|-----------------------------------|-----------|-----------------|------------|-------------|-------------|
| Mirror Replacement   | A-2HD      | Head Assembly                     | Circle    | 7/8"            | 1          | 1 oz.       | 32513102230 |
| Mirror Replacement   | A-2MHD     | Magnifying Mirror Head Assembly   | Circle    | 7/8"            | 1          | 1 oz.       | 32513102339 |
| Mirror Replacement   | B-2HD      | Head Assembly                     | Oval      | 1" x 2"         | 1          | 1 oz.       | 32513102360 |
| Mirror Replacement   | B-2R       | Mirror                            | Oval      | 1" x 2"         | 12         | 1 lb. 8 oz. | 32513102377 |
| Mirror Replacement   | C-2HD      | Head Assembly                     | Circle    | 2-1/4"          | 1          | 2 oz.       | 32513102292 |
| Mirror Replacement   | C-2MHD     | Magnifying Mirror Head Assembly   | Circle    | 2-1/4"          | 1          | 2 oz.       | 32513102285 |
| Mirror Replacement   | E-2HD      | Head Assembly                     | Circle    | 1-1/4"          | 1          | 2 oz.       | 32513102315 |
| Mirror Replacement   | E-2MHD     | Magnifying Mirror Head Assembly   | Circle    | 1-1/4"          | 1          | 1 oz.       | 32513102346 |
| Mirror Replacement   | K-2HD      | Head Assembly                     | Rectangle | 2-1/8" x 3-1/2" | 1          | 2 oz.       | 32513102391 |
| Mirror Replacement   | K-2MHD     | Magnifying Mirror Head Assembly   | Rectangle | 2-1/8" x 3-1/2" | 1          | 2 oz.       | 32513102353 |
| Mirror Replacement   | K-2MR      | Magnifying Mirror                 | Rectangle | 2-1/8" x 3-1/2" | 1          | 1 oz.       | 32513101066 |
| Mirror Replacement   | K-2R       | Mirror                            | Rectangle | 2-1/8" x 3-1/2" | 12         | 12 oz.      | 32513102278 |
| Mirror Replacement   | S-2HD      | Head Assembly                     | Circle    | 3-1/4"          | 1          | 2 oz.       | 32513102247 |
| Hook and Pick Refill | CHP4-A     | CHP4 Refill - Hook Pick           | n/a       | 6-7/8"          | 1          | 1 oz.       | 32513103244 |
| Hook and Pick Refill | CHP4-B     | CHP4 Refill - 90° Pick            | n/a       | 6-7/8"          | 1          | 1 oz.       | 32513103251 |
| Hook and Pick Refill | CHP4-C     | CHP4 Refill - Straight Pick       | n/a       | 6-7/8"          | 1          | 1 oz.       | 32513103268 |
| Hook and Pick Refill | CHP4-D     | CHP4 Refill - Complex Pick        | n/a       | 6-7/8"          | 1          | 1 oz.       | 32513103275 |
| Hook and Pick Refill | CHP4L-A    | CHP4-L Refill - Hook Pick         | n/a       | 9-3/4"          | 1          | 1 oz.       | 32513102605 |
| Hook and Pick Refill | CHP4L-B    | CHP4-L Refill - 90° Pick          | n/a       | 9-3/4"          | 1          | 3 oz.       | 32513102612 |
| Hook and Pick Refill | CHP4L-C    | CHP4-L Refill - Straight Pick     | n/a       | 9-3/4"          | 1          | 22 oz.      | 32513102629 |
| Hook and Pick Refill | CHP4L-D    | CHP4-L Refill - Complex Pick      | n/a       | 9-3/4"          | 1          | 1 oz.       | 32513102636 |
| Hook and Pick Refill | CHP6L-I    | CHP6-L Refill - Combination Pick  | n/a       | 9-3/4"          | 1          | 13 oz.      | 32513103374 |
| Hook and Pick Refill | CHP6L-J    | CHP6-L Refill - Double Angle Pick | n/a       | 9-3/4"          | 1          | 14 oz.      | 32513103367 |
| Hook and Pick Refill | CHP8L-M    | CHP8-L Refill - 45° Pick          | n/a       | 9-3/4"          | 1          | 12 oz.      | 32513103381 |
| Hook and Pick Refill | CHP8L-N    | CHP8-L Refill - Angle Hook Pick   | n/a       | 9-3/4"          | 1          | 11 oz.      | 32513103398 |
| Hook and Pick Refill | MP-6-A     | MP-6 Refill - 45° Pick            | n/a       | 5-9/16"         | 1          | 21 oz.      | 32513103282 |
| Hook and Pick Refill | MP-6-B     | MP-6 Refill - Hook Pick           | n/a       | 5-9/16"         | 1          | 20 oz.      | 32513103299 |
| Hook and Pick Refill | MP-6-C     | MP-6 Refill - Bayonet Pick        | n/a       | 5-9/16"         | 1          | 19 oz.      | 32513103305 |
| Hook and Pick Refill | MP-6-D     | MP-6 Refill - Straight Pick       | n/a       | 5-9/16"         | 1          | 18 oz.      | 32513103312 |
| Hook and Pick Refill | MP-6-E     | MP-6 Refill - Double Angle Pick   | n/a       | 5-9/16"         | 1          | 17 oz.      | 32513103329 |
| Hook and Pick Refill | PH-4-A     | PH-4 Refill - Hook Pick           | n/a       | 6-5/16"         | 1          | 16 oz.      | 32513103336 |
| Hook and Pick Refill | PH-A-B     | PH-4 Refill - 90° Pick            | n/a       | 6-5/16"         | 1          | 16 oz.      | 32513103459 |
| Hook and Pick Refill | PH-4-C     | PH-4 Refill - Complex Pick        | n/a       | 6-5/16"         | 1          | 15 oz.      | 32513103343 |
| Hook and Pick Refill | PH-4-D     | PH-4 Refill - Straight Pick       | n/a       | 6-5/16"         | 1          | 2 oz.       | 32513103350 |
| Hook and Pick Refill | PSP-4A     | PSP-4 Refill - Hook Pick          | n/a       | 5-1/16"         | 1          | 10 oz.      | 32513102667 |
| Hook and Pick Refill | PSP-4B     | PSP-4 Refill - Straight Pick      | n/a       | 5-1/16"         | 1          | 9 oz.       | 32513102674 |
| Hook and Pick Refill | PSP-4C     | PSP-4 Refill - 90° Pick           | n/a       | 5-1/16"         | 1          | 8 oz.       | 32513102681 |
| Hook and Pick Refill | PSP-4D     | PSP-4 Refill - Combination Pick   | n/a       | 5-1/16"         | 1          | 7 oz.       | 32513102513 |

